



Eric J. Zgodzinski, DrPH, MPH, RS, CPH Health Commissioner

LUCAS COUNTY REGIONAL HEALTH DISTRICT BOARD MEMBERS

Johnathon Ross, MD, President Ted Kaczorowski, Vice President Fritz Byers, Esq. Barbara Conover, MSN, RN Richard Fernandez, DPT Perlean Griffin Matthew Heyrman, MPA Donald R. Murray Susan Postal Barbara Sarantou Michelle Schultz Donna A Woodson, MD

AN EQUAL OPPORTUNITY EMPLOYER

The Department operates in accordance with Title VII of the Civil Rights Act of 1964

Visit us on the web at: www.lucascountyhealth.com

Interim Coronavirus Disease 2019 (COVID-19) Guidance for Migrant Farmworkers, Their Employers, and Housing Providers

April 22, 2020

No one has immunity to the new coronavirus (COVID-19) that is currently causing this pandemic. COVID-19 can spread easily in settings where many people live in close proximity, such as the residential facilities set up to house migrant farmworkers. Farm owners, managers, and all who provide housing for migrant workers should implement plans to prevent exposure to the virus that causes COVID-19, care for individuals with suspected or confirmed COVID-19 infection and prevent the spread of the disease among their workers.

Individuals who are ≥65 years of age and people with pre-existing medical conditions such as diabetes, chronic lung or heart disease, or who have a compromised immune system (e.g. cancer or taking immunosuppressant medications) have a greater risk of severe illness due to COVID-19. Complication of COVID-19 infection include the need to be hospitalized, receive mechanical ventilation and death. Agricultural workers with chronic lung problems associated with exposure to common farming hazards such as pesticides and fungi found in crops, may also be at higher risk of severe illness.

The following recommendations from the Toledo-Lucas County Health Department are intended to prevent exposure to COVID-1, when possible, and protect the health of Lucas County's communities which includes this important work force. Farmworkers are a uniquely vulnerable population given the many barriers to healthcare access they experience such as language barriers, lack of independent transportation, lack of insurance, fear regarding immigration status, and unfamiliarity with local resources and systems. The key components of a prevention plan for migrant farmworkers include:

- Minimizing the risk for exposure to the virus
- Early detection of people with symptoms of COVID-19
- Caring for individuals with COVID-19 while ensuring that they do not give the infection to anyone else.

Helpful Definitions

COVID-19 is the infection caused by the novel coronavirus identified for the first time in December of 2019.

A COVID-19 case is a person with a laboratory confirmed COIVD-19 infection. A suspect COVID-19 case is a person with symptoms consistent with COVID-19 infection, but without a laboratory confirmed diagnosis.



Isolation is separating confirmed and suspect COVID-19 cases from other workers who have no signs or symptoms of infection.

Quarantine is keeping workers who have been exposed to a confirmed or suspect COVID-19 case, but have no symptoms of infection, away from non-exposed workers (as much as possible) for the duration of the virus' incubation period (incubation period is 14 days after last exposure to a confirmed or suspect COVID-19 case).

A significant exposure is defined as being within 6 feet of a confirmed or suspect COVID-19 case for at least 15 minutes.

Be Prepared, Have a Plan

Have an emergency plan for how you will care for and isolate COVID-19 infected workers.

- Make sure that you have emergency contact numbers for each of your workers that are willing to provide it.
- Make sure that you have the phone number of your local health department. OSHA requires "camp superintendents" to report immediately to the local health officer the name and address of any individual in the camp known or suspected of having a communicable disease. (29 CFR 1910.142(l)(1)). The health department will help to guide you on your specific situation, including how, if and when to test farmworkers with symptoms.
- People with symptoms of COVID-19 (e.g. fever, cough, shortness of breath) are considered suspect cases and must be housed in a separate room with a separate bathroom from people who are not sick. They should not share cooking or eating facilities.
- Confirmed COVID-19 cases should only be housed with other confirmed cases. They should have separate bathroom, cooking and eating facilities from people who are not sick.
- When available, provide surgical facemasks and store them near the
 doors for people with suspected and confirmed COVID-19 infections.
 Facemasks should be worn by both groups when they are outside of
 their room, when people are in their rooms, and by the people who
 enter their rooms to care for them.
- Ventilate the room where persons with COVID-19 are housed on regular intervals, as much as possible.
- Your plan should outline how and who will pay for and provide food, water, and medical supplies to symptomatic workers in isolation or exposed but asymptomatic workers in quarantine as they may be unable to provide for themselves during this time.
- Your plan should outline by whom and how transportation will be provided for ill workers who need medical evaluation or treatment.



You must consider how the person doing the transporting is to be protected, where the closest facilities are located and how testing and/or care will be paid for.

• Create a plan for what to do if many workers are sick at the same time.

Identify the nearest healthcare facility that provides free or low-cost care to uninsured people.

- Most Migrant and Community Health Centers can provide telehealth evaluation, and some can provide COVID-19 testing at sliding scale fees.
- H2A workers have 60 days from entry into the country to sign up for heavily subsidized and thus affordable health insurance on the national marketplace. Migrant and Community Health Centers have bilingual patient navigators that can assist them in signing up. Contact your closest center to get your H2A farmworkers enrolled in health insurance plans when they first arrive and before anyone becomes ill.
- If you cannot find a free or low-cost facility in your area, contact the Toledo-Lucas County Health Department for assistance.

Promote Healthy Habits

Educate workers about hand hygiene, respiratory etiquette, and emergency response:

- Provide signs in English and Spanish with information about when and how to properly wash hands, physical distancing of at least 6 feet, need to cough and sneeze into an elbow instead of a hand to protect themselves and others from germs.
- Clean and disinfect farmworker housing, bathrooms, and transportation vehicles daily.
- Transport farmworkers in ways that allow them to stay at least 6 feet apart on the bus even though this may mean multiple trips are required. Disinfect the bus between trips.
- Arrange beds in farmworker housing at least six feet apart, if possible.
- Post the address and phone number of your local health department centrally where your workers can find it.
- Post your camp address centrally so workers will be able to give to 911 operator if needed.
- Post all documents centrally in both English and Spanish where your workers can read them.

Provide weekly supplies to each farmworker to fight COVID-19 like alcoholbased hand sanitizer (if available), tissues, disinfectants and lined trash cans.



- Make sure that workers have access to these supplies at the worksite, in common areas, where they sleep, and where they eat.
- Use hand sanitizer containing at least 60% alcohol.
- Provide a disinfectant that is active against coronaviruses to sanitize counters, bathrooms, and other areas. Create a daily schedule for this to be done.
- Ensure that field sanitation supplies of soap, single-use paper towels, and water are well stocked in each field location.
- Require farmworkers to wash hands before and after work, meals, and bathroom breaks.
- Remind them to wash hands upon entering and exiting high-density areas such as stores, laundromats, buses, and vans.
- Make sure that trash cans are emptied whenever full and at least weekly.

Prevent the Spread of COVID-19

Screen arriving workers for symptoms of COVID-19 such as fever, cough, or shortness of breath.

- Workers with symptoms should be housed in the area designated for suspect COVID-19 cases and arrange for them to consult with a medical provider. If the worker needs to be seen at a healthcare facility, call the medical provider in advance so healthcare workers can take appropriate precautionary measures. Be sure that the medical provider knows that this patient lives in a congregate living situation.
- Workers with symptoms of respiratory illness should take a private vehicle to get to the medical provider. If they do not have their own vehicle, you must assist with transportation. Circulate air by partially lowering windows (weather permitting) and have all people in the vehicle, including the patient, wear a surgical mask.

If a worker starts having symptoms of COVID-19 such as fever, cough, or shortness of breath:

- Have the worker stop working immediately and isolate the person from other workers. People with these symptoms should not be working.
- If there is an onsite room designated for ill workers, suspect COVID-19 cases should be directed to that room at the time of symptom onset until appropriate isolation plans can be enacted.
- Follow the instructions above to arrange for ill workers to be evaluated by a medical provider.



Let workers who have symptoms of respiratory illness rest until they feel better.

- Make sure they have enough food and water as they will not be able to go to the store and may not have the funds to buy their own.
- Check frequently on the ill worker in isolation to monitor for worsening symptoms. About 20% of infected people will develop severe respiratory symptoms that may require hospitalization.
- Public health officials (e.g., local health department staff) will provide further instructions about isolation and release from isolation.

If a worker is suspected or confirmed to have COVID-19 infection:

- Contact your local health department as required by OSHA.
- Instruct workers who have had close contact with a COVID-19 patient to self-monitor for symptoms of COVID-19 (fever, cough, or shortness of breath) for 14 days. These exposed workers should be separated from non-exposed workers for 14 days (e.g. sleep in a separate room, work in a separate area, use a separate bathroom and cooking facility). If they develop symptoms of COVID-19, contact your local health department.